The content of this SDS is also valid in Spanish Mexican language to cover all Central, South America (except Brazil) and the Caribbean countries.

# SAFETY DATA SHEET

### Poopee Chic (All Variations for Retail)



### Section 1. Identification

**GHS** product identifier

: Poopee Chic (All Variations for Retail): Not available.

Other means of identification

**Product code** 

: Not available.

Product type : Liquid.

**Identified uses** 

: Odor Eliminator, Deodorizing Agent.

Supplier/Manufacturer

: Prelam Enterprises Limited 300 Baig Blvd., Suite C6 Moncton, New Brunswick, Canada, E1E1C8 Phone: (506) 857-0499

Phone: (506) 857-0499
Toll Free: 1-877-249-6846
Fax: (506) 384-2984
E-mail: info@prelam.com
Web site: www.prelam.com

Emergency telephone number (with hours of operation) : Prelam Enterprises Limited info@prelam.com

8am-5pm Atlantic Time

### Section 2. Hazards identification

**OSHA/HCS** status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

: SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 2

**GHS label elements** 

Hazard pictograms



Signal word : Warning

**Hazard statements**: H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention : P280 - Wear protective gloves.

P273 - Avoid release to the environment.

P261 - Avoid breathing vapor.

P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.





## Section 2. Hazards identification

Response : P391 - Collect spillage.

P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

P333 + P313 - If skin irritation or rash occurs: Get medical attention.

Storage : Not applicable.

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

#### Hazards not otherwise classified (HNOC)

Physical hazards not otherwise classified

(PHNOC)

**Health hazards not** otherwise classified

: None known.

: None known.

(HHNOC)

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

#### **CAS** number/other identifiers

**CAS** number : Not applicable. **Product code** : Not available.

Ingredient name	%	CAS number
Bis(2-ethylhexyl) adipate	≥10 - <16	103-23-1
Benzyl benzoate	≥3 - <5	120-51-4
Benzaldehyde	≥1 - <3	100-52-7
2-Methyl-6-methyleneoct-7-en-2-ol, dihydro derivative	≥1 - <2	53219-21-9
Terpenes and Terpenoids, lime-oil	≥1 - <1.6	68917-71-5
D-Limonene	≥1 - <1.6	5989-27-5
Cineole	≥0.3 - <1	470-82-6
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	≥0.3 - <1	54464-57-2
Allyl heptanoate	≥0.1 - <0.3	142-19-8
1,4-Dioxacyclohexadecane-5,16-dione	≥0.1 - <0.2	54982-83-1
Allyl hexanoate	≥0.1 - <0.2	123-68-2

#### Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.





### Section 4. First aid measures

Skin contact

Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Way cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Adverse symptoms may include the following:

irritation redness

**Ingestion**: No known significant effects or critical hazards.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon dioxide carbon monoxide





# Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: No special measures are required.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.





## Section 7. Handling and storage

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

**United States** 

Occupational exposure limits

Ingredient name	Exposure limits
Benzaldehyde	AIHA WEEL (United States, 10/2011). Skin sensitizer. STEL: 4 ppm 15 minutes. TWA: 2 ppm 8 hours.

#### **Canada**

Occupational exposure limits		TWA (8 hours) S1		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
	ON 7/2015 US AIHA 10/2011	- 2	-	-	4 4	17 -	- -	- -	-	-	[3]

[3]Skin sensitization

#### **Mexico**

None.

**Appropriate engineering** controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

Hand protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.





### Section 8. Exposure controls/personal protection

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

**Appearance** 

**Physical state** : Liquid. [Milk like.] Color Opaque white. Odor Various fragrances. **Odor threshold** Not available. pΗ 3.5 to 6.5 **Melting point** : Not available.

**Boiling point** : Not available. Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : Not available. Vapor density Not available. : Not available. **Relative density** Solubility in water Soluble in water. Partition coefficient: n-: Not available.

octanol/water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available. : Not available. **Viscosity** 

## Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

**Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials, reducing

materials, acids and alkalis.





## Section 10. Stability and reactivity

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **Section 11. Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Bis(2-ethylhexyl) adipate	LD50 Oral	Rat	7392 mg/kg	-
Benzyl benzoate	LD50 Dermal	Rabbit	4 g/kg	-
•	LD50 Oral	Rat	2800 mg/kg	-
Benzaldehyde	LD50 Oral	Rat	1300 mg/kg	-
2-Methyl-6-methyleneoct-7-en-2-ol,	LD50 Dermal	Rabbit	>5 g/kg	-
dihydro derivative				
•	LD50 Oral	Rat	3.6 g/kg	-
D-Limonene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-
Cineole	LD50 Oral	Rat	2480 mg/kg	-
Allyl heptanoate	LD50 Dermal	Rabbit	810 mg/kg	-
, ,	LD50 Oral	Rat	500 mg/kg	-
Allyl hexanoate	LD50 Dermal	Rabbit	300 mg/kg	-
	LD50 Oral	Rat	218 mg/kg	-

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Benzaldehyde	Skin - Moderate irritant	Rabbit	-	24 hours 500 mg	-
2-Methyl-6-methyleneoct-7-en-2-ol,	Eyes - Mild irritant	Rabbit	-	0.05%	-
dihydro derivative					
D-Limonene	Skin - Mild irritant	Rabbit	-	24 hours 10%	-
Allyl heptanoate	Skin - Mild irritant	Human	-	48 hours 20 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 mg	-
Allyl hexanoate	Skin - Mild irritant	Human	-	48 hours 20 mg	-

### **Sensitization**

There is no data available.

#### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

### **Classification**

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Bis(2-ethylhexyl) adipate	-	3	-	-	-	None.
Benzaldehyde	-	-	-	-	-	None.
D-Limonene	-	3	-	-	-	-

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

### **Aspiration hazard**

Name	Result
	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1





# Section 11. Toxicological information

Information on the likely routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. **Inhalation** : No known significant effects or critical hazards.

**Skin contact**: May cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards.

### Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
	8924.6 mg/kg 91148.4 mg/kg





## **Section 12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Bis(2-ethylhexyl) adipate	Acute LC50 660 to 850 µg/L Fresh water	Daphnia - Daphnia magna	48 hours
Benzaldehyde	Acute LC50 1.3 mg/L Marine water	Crustaceans - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 9 mg/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1269 µg/L Fresh water	Fish - Oncorhynchus mykiss	96 hours
D-Limonene	Acute EC50 421 µg/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 688 μg/L Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
Cineole	Acute LC50 102000 μg/L Fresh water	Fish - Pimephales promelas	96 hours

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Bis(2-ethylhexyl) adipate	8.94	27	low
Benzyl benzoate	3.97	-	low
Benzaldehyde	1.48	-	low
D-Limonene	4.38	1022	high
Cineole	2.74	-	low
Allyl heptanoate	3.97	123.4	low
1,4-Dioxacyclohexadecane-5,16-dione	3.65	-	low
Allyl hexanoate	3.2	102.3	low

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: There is no data available.

**Mobility** : There is no data available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	DOT	TDG / NOM-003-SCT	IMDG	IATA
UN number	UN3082	UN3082	UN3082	UN3082





# **Section 14. Transport information**

	•			
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis (2-ethylhexyl) adipate). Marine pollutant (Bis(2-ethylhexyl) adipate, Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis (2-ethylhexyl) adipate). Marine pollutant (Bis (2-ethylhexyl) adipate, Benzaldehyde)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis (2-ethylhexyl) adipate). Marine pollutant (Bis(2-ethylhexyl) adipate, Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis (2-ethylhexyl) adipate)
Transport hazard class(es)	9	9	9	9
Packing group	III	III	III	III
Environmental hazards	Yes.	Yes.	Yes.	Yes.
Additional information	Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of §§ 173.24 and 173.24a.	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark).  Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.  Emergency schedules (EmS) F-A, S-F	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6. 1.1 and 5.0.2.8.

**AERG**: 171

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### **Section 15. Regulatory information**

**U.S. Federal regulations** 

TSCA 8(a) PAIR: Benzaldehyde; α-Hexylcinnamaldehyde; Vanillin; Isopentyl acetate; 3-p -Cumenyl-2-methylpropionaldehyde; Cinnamaldehyde; 2-Methylundecanal; 2-Benzylideneheptanal; 7-Hydroxycitronellal; 4-(4-Hydroxy-4-methylpentyl)cyclohex-3enecarbaldehyde

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): At least one component is not listed.

Clean Water Act (CWA) 311: Isopentyl acetate

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

: Not listed

Class I Substances

: Not listed

Clean Air Act Section 602 Class II Substances

**DEA List I Chemicals** (Precursor Chemicals)

: Listed





## Section 15. Regulatory information

**DEA List II Chemicals** (Essential Chemicals)

: Not listed

#### **SARA 302/304**

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Benzyl benzoate	≥3 - <5	No.	No.	No.	Yes.	No.
Benzaldehyde	≥1 - <3	Yes.	No.	No.	Yes.	No.
2-Methyl-6-methyleneoct-7-en-2-ol, dihydro derivative	≥1 - <2	Yes.	No.	No.	Yes.	No.
Terpenes and Terpenoids, lime-oil	≥1 - <1.6	Yes.	No.	No.	Yes.	No.
D-Limonene	≥1 - <1.6	Yes.	No.	No.	Yes.	No.
Cineole	≥0.3 - <1	Yes.	No.	No.	Yes.	No.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan-1-one	≥0.3 - <1	No.	No.	No.	Yes.	No.
Allyl heptanoate	≥0.1 - <0.3	Yes.	No.	No.	Yes.	No.
Allyl hexanoate	≥0.1 - <0.2	Yes.	No.	No.	Yes.	No.

#### **SARA 313**

No products were found.

#### **State regulations**

Massachusetts : The following components are listed: Bis(2-ethylhexyl) adipate; Benzaldehyde

**New York** : None of the components are listed.

New Jersey : The following components are listed: Bis(2-ethylhexyl) adipate; Benzaldehyde Pennsylvania : The following components are listed: Bis(2-ethylhexyl) adipate; Benzaldehyde

California Prop. 65

No products were found.

#### **Canada**

**Canadian lists** 

Canadian NPRI : The following components are listed: Bis(2-ethylhexyl) adipate; D-Limonene

CEPA Toxic substances : None of the components are listed.

Canada inventory : At least one component is not listed.

## **Section 16. Other information**

**History** 

Date of issue mm/dd/yyyy : 10/01/2015

Version : 1

Prepared by : KMK Regulatory Services Inc.





### **Section 16. Other information**

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Prelam Enterprises Limited shall not be held liable for any injury to the receiver or third persons, or for any damage to any property resulting from the handling or misuse of the product.

